



400 S. La Salle
Chicago, IL 60605

Information Circular IC10-55

Date: February 24, 2010
To: Members
From: Trading Operations
Re: BATS Exchange – CBOE Floor Systems Indicators

In preparation for the BATS Options launch date on February 26, 2010, several CBOE floor systems have been updated to indicate BATS market quotes. Following is a description of each:

- **RCN** overheads – Purple highlighting has been added to the displays to indicate when a BATS market quote is the NBBO.
- **OMT** terminals – The letters “BATS” will be displayed on the Market Display. The letter “Z” will be displayed on Market History.
- **PAR** workstations – The letters “ZO” will indicate BATS market quotes in the quote template of opened order tickets.
- **FBW** terminals – The letter “Z” will indicate BATS market quotes in the NBBO calculation of the Markets Performance window. Four new BATS columns called “ZBid, ZAsk, ZpBid, ZpAsk” may be added to the window using the Configure View feature. The order tickets won’t include the BATS quote on Day 1. Users will be updated once the date is determined.
- **Thomson One** – The following codes will be used:
 - BATS Option Total Volume – .VOOK
 - Put/Call Volume – .VOPK/.VOCK
 - Ratio of Put/Call - .PCCK

Please direct questions to the CBOE Help Desk at (312) 786-7100, helpdesk@cboe.com.